

## Pulp - Issue #1006

### Pulp server REST API status call causes a kombu connection exception to appear in the logs each 10s

05/27/2015 06:39 PM - mkovacik@redhat.com

<b>Status:</b>	CLOSED - CURRENTRELEASE	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	bmbouter	<b>Estimated time:</b>	0:00 hour
<b>Category:</b>			
<b>Sprint/Milestone:</b>			
<b>Severity:</b>	2. Medium	<b>Groomed:</b>	No
<b>Version:</b>	2.6.2 Beta	<b>Sprint Candidate:</b>	No
<b>Platform Release:</b>	2.7.0	<b>Tags:</b>	Pulp 2
<b>OS:</b>	RHEL 6	<b>Sprint:</b>	
<b>Triaged:</b>	Yes	<b>Quarter:</b>	

#### Description

This seems to be caused by call to `pulp/server/managers/status.py:get_broker_conn_status` as when I by-pass its block by directly returning `{'connected': True}` I can't reproduce the issue anymore.

Please note there's no exception thrown while in the connection block --- at least I'm not able to catch one explicitly.

```
def get_broker_conn_status():
    """
    :returns: message broker connection status

    :rtype: bool

    """

# not all drivers support heartbeats. For now, we need to make an
# explicit connection and then release it.
# See https://github.com/celery/kombu/issues/432 for more detail.
try:
    conn = celery.connection()

    conn.connect()

    conn.release()
    return {'connected': True}
except:

# if the above was not successful for any reason, return False
    return {'connected': False}
```

#### Reproducer screen log:

```
[root@ip-172-31-20-145 ~]# curl -k https://admin:admin@localhost/pulp/api/v2/status/ | python -mjs
on.tool
  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
                                 Dload  Upload  Total   Spent    Left  Speed
110   662   110   662    0    0    591     0  0:00:01  0:00:01  --:--:--  632
{
  "api_version": "2",
  "database_connection": {
    "connected": true
  },
  "known_workers": [
    {
```

```

        "last_heartbeat": "2015-05-27T16:25:36Z",
        "name": "scheduler@ip-172-31-20-145.eu-central-1.compute.internal"
    },
    {
        "last_heartbeat": "2015-05-27T16:27:04Z",
        "name": "reserved_resource_worker-0@ip-172-31-20-145.eu-central-1.compute.internal"
    },
    {
        "last_heartbeat": "2015-05-27T16:27:03Z",
        "name": "reserved_resource_worker-1@ip-172-31-20-145.eu-central-1.compute.internal"
    },
    {
        "last_heartbeat": "2015-05-27T16:27:04Z",
        "name": "resource_manager@ip-172-31-20-145.eu-central-1.compute.internal"
    }
],
"messaging_connection": {
    "connected": true
},
"versions": {
    "platform_version": "2.6.2b2"
}
}
[root@ip-172-31-20-145 ~]# fg
vim /usr/lib/python2.6/site-packages/pulp/server/managers/status.py

[1]+  Stopped                  vim /usr/lib/python2.6/site-packages/pulp/server/managers/status.py
[root@ip-172-31-20-145 ~]# service httpd restart
Stopping httpd:                  [ OK ]
Starting httpd:                  [ OK ]
[root@ip-172-31-20-145 ~]# curl -k https://admin:admin@localhost/pulp/api/v2/status/ | python -mjs
on.tool
  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
                                 Dload  Upload   Total   Spent    Left   Speed
110   662   110   662    0    0   5579      0  --:--:--  --:--:--  --:--:-- 14711
{
  "api_version": "2",
  "database_connection": {
    "connected": true
  },
  "known_workers": [
    {
      "last_heartbeat": "2015-05-27T16:27:06Z",
      "name": "scheduler@ip-172-31-20-145.eu-central-1.compute.internal"
    },
    {
      "last_heartbeat": "2015-05-27T16:27:22Z",
      "name": "reserved_resource_worker-0@ip-172-31-20-145.eu-central-1.compute.internal"
    },
    {
      "last_heartbeat": "2015-05-27T16:27:21Z",
      "name": "reserved_resource_worker-1@ip-172-31-20-145.eu-central-1.compute.internal"
    },
    {
      "last_heartbeat": "2015-05-27T16:27:22Z",
      "name": "resource_manager@ip-172-31-20-145.eu-central-1.compute.internal"
    }
  ],
  "messaging_connection": {
    "connected": true
  },
  "versions": {
    "platform_version": "2.6.2b2"
  }
}
[root@ip-172-31-20-145 ~]# sleep 20 ; tail -60 /var/log/messages
May 27 12:27:33 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) self.check_cl

```

```

osed()
May 27 12:27:33 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 586, in check_closed
May 27 12:27:33 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) raise Session
Closed()
May 27 12:27:33 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) SessionClosed: No
ne
May 27 12:27:43 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) None
May 27 12:27:43 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) Traceback (most r
ecent call last):
May 27 12:27:43 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "/usr/lib/
python2.6/site-packages/kombu/transport/qpid.py", line 1393, in run
May 27 12:27:43 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) self.monitor_
receivers()
May 27 12:27:43 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "/usr/lib/
python2.6/site-packages/kombu/transport/qpid.py", line 1409, in monitor_receivers
May 27 12:27:43 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) self._session
.next_receiver()
May 27 12:27:43 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "<string>"
, line 6, in next_receiver
May 27 12:27:43 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 674, in next_receiver
May 27 12:27:43 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) if self._ecwa
it(lambda: self.incoming, timeout):
May 27 12:27:43 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 51, in _ecwait
May 27 12:27:43 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) self.check_cl
osed()
May 27 12:27:43 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 586, in check_closed
May 27 12:27:43 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) raise Session
Closed()
May 27 12:27:43 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) SessionClosed: No
ne
May 27 12:27:53 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) None
May 27 12:27:53 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) Traceback (most r
ecent call last):
May 27 12:27:53 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "/usr/lib/
python2.6/site-packages/kombu/transport/qpid.py", line 1393, in run
May 27 12:27:53 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) self.monitor_
receivers()
May 27 12:27:53 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "/usr/lib/
python2.6/site-packages/kombu/transport/qpid.py", line 1409, in monitor_receivers
May 27 12:27:53 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) self._session
.next_receiver()
May 27 12:27:53 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "<string>"
, line 6, in next_receiver
May 27 12:27:53 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 674, in next_receiver
May 27 12:27:53 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) if self._ecwa
it(lambda: self.incoming, timeout):
May 27 12:27:53 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 51, in _ecwait
May 27 12:27:53 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) self.check_cl
osed()
May 27 12:27:53 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 586, in check_closed
May 27 12:27:53 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) raise Session
Closed()
May 27 12:27:53 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) SessionClosed: No
ne
May 27 12:28:03 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) None
May 27 12:28:03 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) Traceback (most r
ecent call last):
May 27 12:28:03 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "/usr/lib/
python2.6/site-packages/kombu/transport/qpid.py", line 1393, in run
May 27 12:28:03 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) self.monitor_

```

```

receivers()
May 27 12:28:03 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "/usr/lib/
python2.6/site-packages/kombu/transport/qpid.py", line 1409, in monitor_receivers
May 27 12:28:03 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) self._session
.next_receiver()
May 27 12:28:03 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "<string>"
, line 6, in next_receiver
May 27 12:28:03 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 674, in next_receiver
May 27 12:28:03 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) if self._ecwa
it(lambda: self.incoming, timeout):
May 27 12:28:03 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 51, in _ecwait
May 27 12:28:03 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) self.check_cl
osed()
May 27 12:28:03 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 586, in check_closed
May 27 12:28:03 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) raise Session
Closed()
May 27 12:28:03 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) SessionClosed: No
ne
May 27 12:28:13 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) None
May 27 12:28:13 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) Traceback (most r
ecent call last):
May 27 12:28:13 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "/usr/lib/
python2.6/site-packages/kombu/transport/qpid.py", line 1393, in run
May 27 12:28:13 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) self.monitor_
receivers()
May 27 12:28:13 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "/usr/lib/
python2.6/site-packages/kombu/transport/qpid.py", line 1409, in monitor_receivers
May 27 12:28:13 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) self._session
.next_receiver()
May 27 12:28:13 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "<string>"
, line 6, in next_receiver
May 27 12:28:13 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 674, in next_receiver
May 27 12:28:13 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) if self._ecwa
it(lambda: self.incoming, timeout):
May 27 12:28:13 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 51, in _ecwait
May 27 12:28:13 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) self.check_cl
osed()
May 27 12:28:13 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 586, in check_closed
May 27 12:28:13 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) raise Session
Closed()
May 27 12:28:13 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11039-92288) SessionClosed: No
ne
[root@ip-172-31-20-145 ~]# service httpd restart
Stopping httpd: [ OK ]
Starting httpd: [ OK ]
[root@ip-172-31-20-145 ~]# sleep 20 ; tail -60 /var/log/messages
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin puppet_whol
e_repo_profiler for types: puppet_module
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin yum_profile
r for types: rpm,erratum
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin yum for typ
es: rpm
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin puppet_inst
all_distributor for types: puppet_module
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin rhui for ty
pes: rpm
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin docker_dist
ributor_web for types: docker_image
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin docker_dist
ributor_export for types: docker_image
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin yum_distrib

```

```
utor for types: rpm,srpm,drpm,erratum,package_group,package_category,distribution,yum_repo_metadat
a_file
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin export_dist
ributor for types: rpm,srpm,drpm,erratum,distribution,package_category,package_group
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin iso_distrib
utor for types: iso
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin group_expor
t_distributor for types: rpm,srpm,drpm,erratum,distribution,package_category,package_group
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin python_impo
rter for types: python_package
May 27 12:28:26 ip-172-31-20-145 pulp: gofer.messaging.adapter.qpid.connection:INFO: connecting: U
RL: tcp://localhost|SSL: ca: /etc/pki/qpid/ca/ca.crt|key: None|certificate: /etc/pki/qpid/client/c
lient.pem|host-validation: False
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin puppet_impo
rter for types: puppet_module
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin docker_impo
rter for types: docker_image
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin yum_importe
r for types: distribution,drpm,erratum,package_group,package_category,rpm,srpm,yum_repo_metadata_f
ile,package_environment
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin iso_importe
r for types: iso
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin puppet_whol
e_repo_profiler for types: puppet_module
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin yum_profile
r for types: rpm,erratum
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin yum for typ
es: rpm
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin rhui for ty
pes: rpm
May 27 12:28:26 ip-172-31-20-145 pulp: gofer.messaging.adapter.qpid.connection:INFO: connected: tc
p://localhost
May 27 12:28:26 ip-172-31-20-145 pulp: gofer.messaging.adapter.qpid.connection:INFO: connecting: U
RL: tcp://localhost|SSL: ca: /etc/pki/qpid/ca/ca.crt|key: None|certificate: /etc/pki/qpid/client/c
lient.pem|host-validation: False
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.server.agent.direct.services:INFO: Task reply handler,
started.
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.server.agent.direct.services:INFO: AMQP reply handler
started
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.server.webservices.application:INFO: *****
*****
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.server.webservices.application:INFO: The Pulp server h
as been successfully initialized
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.server.webservices.application:INFO: *****
*****
May 27 12:28:26 ip-172-31-20-145 pulp: gofer.messaging.adapter.qpid.connection:INFO: connected: tc
p://localhost
May 27 12:28:26 ip-172-31-20-145 pulp: gofer.messaging.adapter.qpid.connection:INFO: connecting: U
RL: tcp://localhost|SSL: ca: /etc/pki/qpid/ca/ca.crt|key: None|certificate: /etc/pki/qpid/client/c
lient.pem|host-validation: False
May 27 12:28:26 ip-172-31-20-145 pulp: gofer.messaging.adapter.qpid.connection:INFO: connected: tc
p://localhost
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.server.agent.direct.services:INFO: Task reply handler,
started.
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.server.agent.direct.services:INFO: AMQP reply handler
started
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.server.webservices.application:INFO: *****
*****
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.server.webservices.application:INFO: The Pulp server h
as been successfully initialized
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.server.webservices.application:INFO: *****
*****
May 27 12:28:26 ip-172-31-20-145 pulp: gofer.messaging.adapter.qpid.connection:INFO: connecting: U
RL: tcp://localhost|SSL: ca: /etc/pki/qpid/ca/ca.crt|key: None|certificate: /etc/pki/qpid/client/c
lient.pem|host-validation: False
May 27 12:28:26 ip-172-31-20-145 pulp: gofer.messaging.adapter.qpid.connection:INFO: connected: tc
p://localhost
```

```

May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin yum_distrib
utor for types: rpm,srpm,drpm,erratum,package_group,package_category,distribution,yum_repo_metadat
a_file
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin export_dist
ributor for types: rpm,srpm,drpm,erratum,distribution,package_category,package_group
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin iso_distrib
utor for types: iso
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin group_expor
t_distributor for types: rpm,srpm,drpm,erratum,distribution,package_category,package_group
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin python_impo
rter for types: python_package
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin puppet_impo
rter for types: puppet_module
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin docker_impo
rter for types: docker_image
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin yum_importe
r for types: distribution,drpm,erratum,package_group,package_category,rpm,srpm,yum_repo_metadata_f
ile,package_environment
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin iso_importe
r for types: iso
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin puppet_whol
e_repo_profiler for types: puppet_module
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin yum_profile
r for types: rpm,erratum
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin yum for typ
es: rpm
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin rhui for ty
pes: rpm
May 27 12:28:26 ip-172-31-20-145 pulp: gofer.messaging.adapter.qpid.connection:INFO: connecting: U
RL: tcp://localhost|SSL: ca: /etc/pki/qpid/ca/ca.crt|key: None|certificate: /etc/pki/qpid/client/c
lient.pem|host-validation: False
May 27 12:28:26 ip-172-31-20-145 pulp: gofer.messaging.adapter.qpid.connection:INFO: connected: tc
p://localhost
May 27 12:28:26 ip-172-31-20-145 pulp: gofer.messaging.adapter.qpid.connection:INFO: connecting: U
RL: tcp://localhost|SSL: ca: /etc/pki/qpid/ca/ca.crt|key: None|certificate: /etc/pki/qpid/client/c
lient.pem|host-validation: False
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.server.agent.direct.services:INFO: Task reply handler,
started.
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.server.agent.direct.services:INFO: AMQP reply handler
started
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.server.webservices.application:INFO: *****
*****
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.server.webservices.application:INFO: The Pulp server h
as been successfully initialized
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.server.webservices.application:INFO: *****
*****
May 27 12:28:26 ip-172-31-20-145 pulp: gofer.messaging.adapter.qpid.connection:INFO: connected: tc
p://localhost
[root@ip-172-31-20-145 ~]# curl -k https://admin:admin@localhost/pulp/api/v2/status/ | python -mjs
on.tool
  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
                                 Dload  Upload   Total   Spent    Left   Speed
110   662   110   662     0     0   5633      0  --:--:--  --:--:--  --:--:-- 15045
{
  "api_version": "2",
  "database_connection": {
    "connected": true
  },
  "known_workers": [
    {
      "last_heartbeat": "2015-05-27T16:28:36Z",
      "name": "scheduler@ip-172-31-20-145.eu-central-1.compute.internal"
    },
    {
      "last_heartbeat": "2015-05-27T16:28:56Z",
      "name": "reserved_resource_worker-0@ip-172-31-20-145.eu-central-1.compute.internal"
    }
  ],
}

```

```

    {
      "last_heartbeat": "2015-05-27T16:28:55Z",
      "name": "reserved_resource_worker-1@ip-172-31-20-145.eu-central-1.compute.internal"
    },
    {
      "last_heartbeat": "2015-05-27T16:28:56Z",
      "name": "resource_manager@ip-172-31-20-145.eu-central-1.compute.internal"
    }
  ],
  "messaging_connection": {
    "connected": true
  },
  "versions": {
    "platform_version": "2.6.2b2"
  }
}
[root@ip-172-31-20-145 ~]# sleep 20 ; tail -60 /var/log/messages
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin docker_importer for types: docker_image
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin yum_importer for types: distribution,drpm,erratum,package_group,package_category,rpm,srpm,yum_repo_metadata_file,package_environment
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin iso_importer for types: iso
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin puppet_whole_repo_profiler for types: puppet_module
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin yum_profiler for types: rpm,erratum
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin yum for types: rpm
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.plugins.loader.manager:INFO: Loaded plugin rhui for types: rpm
May 27 12:28:26 ip-172-31-20-145 pulp: gofer.messaging.adapter.qpid.connection:INFO: connecting: URL: tcp://localhost|SSL: ca: /etc/pki/qpid/ca/ca.crt|key: None|certificate: /etc/pki/qpid/client/client.pem|host-validation: False
May 27 12:28:26 ip-172-31-20-145 pulp: gofer.messaging.adapter.qpid.connection:INFO: connected: tcp://localhost
May 27 12:28:26 ip-172-31-20-145 pulp: gofer.messaging.adapter.qpid.connection:INFO: connecting: URL: tcp://localhost|SSL: ca: /etc/pki/qpid/ca/ca.crt|key: None|certificate: /etc/pki/qpid/client/client.pem|host-validation: False
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.server.agent.direct.services:INFO: Task reply handler, started.
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.server.agent.direct.services:INFO: AMQP reply handler started
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.server.webservices.application:INFO: *****
*****
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.server.webservices.application:INFO: The Pulp server has been successfully initialized
May 27 12:28:26 ip-172-31-20-145 pulp: pulp.server.webservices.application:INFO: *****
*****
May 27 12:28:26 ip-172-31-20-145 pulp: gofer.messaging.adapter.qpid.connection:INFO: connected: tcp://localhost
May 27 12:28:57 ip-172-31-20-145 pulp: pulp.server.managers.status:WARNING: >>STATUS
May 27 12:28:57 ip-172-31-20-145 pulp: kombu.transport.qpid:INFO: Connected to qpid with SASL mechanism ANONYMOUS
May 27 12:28:57 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) None
May 27 12:28:57 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) Traceback (most recent call last):
May 27 12:28:57 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) File "/usr/lib/python2.6/site-packages/kombu/transport/qpid.py", line 1393, in run
May 27 12:28:57 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) self.monitor_receivers()
May 27 12:28:57 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) File "/usr/lib/python2.6/site-packages/kombu/transport/qpid.py", line 1409, in monitor_receivers
May 27 12:28:57 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) self._session.next_receiver()
May 27 12:28:57 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) File "<string>"

```

```

, line 6, in next_receiver
May 27 12:28:57 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 674, in next_receiver
May 27 12:28:57 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) if self._ecwa
it(lambda: self.incoming, timeout):
May 27 12:28:57 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 51, in _ecwait
May 27 12:28:57 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) self.check_cl
osed()
May 27 12:28:57 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 586, in check_closed
May 27 12:28:57 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) raise Session
Closed()
May 27 12:28:57 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) SessionClosed: No
ne
May 27 12:29:07 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) None
May 27 12:29:07 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) Traceback (most r
ecent call last):
May 27 12:29:07 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) File "/usr/lib/
python2.6/site-packages/kombu/transport/qpid.py", line 1393, in run
May 27 12:29:07 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) self.monitor_
receivers()
May 27 12:29:07 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) File "/usr/lib/
python2.6/site-packages/kombu/transport/qpid.py", line 1409, in monitor_receivers
May 27 12:29:07 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) self._session
.next_receiver()
May 27 12:29:07 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) File "<string>"
, line 6, in next_receiver
May 27 12:29:07 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 674, in next_receiver
May 27 12:29:07 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) if self._ecwa
it(lambda: self.incoming, timeout):
May 27 12:29:07 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 51, in _ecwait
May 27 12:29:07 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) self.check_cl
osed()
May 27 12:29:07 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 586, in check_closed
May 27 12:29:07 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) raise Session
Closed()
May 27 12:29:07 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) SessionClosed: No
ne
May 27 12:29:17 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) None
May 27 12:29:17 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) Traceback (most r
ecent call last):
May 27 12:29:17 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) File "/usr/lib/
python2.6/site-packages/kombu/transport/qpid.py", line 1393, in run
May 27 12:29:17 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) self.monitor_
receivers()
May 27 12:29:17 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) File "/usr/lib/
python2.6/site-packages/kombu/transport/qpid.py", line 1409, in monitor_receivers
May 27 12:29:17 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) self._session
.next_receiver()
May 27 12:29:17 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) File "<string>"
, line 6, in next_receiver
May 27 12:29:17 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 674, in next_receiver
May 27 12:29:17 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) if self._ecwa
it(lambda: self.incoming, timeout):
May 27 12:29:17 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 51, in _ecwait
May 27 12:29:17 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) self.check_cl
osed()
May 27 12:29:17 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) File "/usr/lib/
python2.6/site-packages/qpid/messaging/endpoints.py", line 586, in check_closed
May 27 12:29:17 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) raise Session
Closed()

```

```
May 27 12:29:17 ip-172-31-20-145 pulp: kombu.transport.qpid:ERROR: (11172-28640) SessionClosed: No
ne
[root@ip-172-31-20-145 ~]#
```

#### Related issues:

Related to Pulp - Issue #917: qpid errors are logged during repo sync when ta...

**CLOSED - CURRENTRELEASE**

#### Associated revisions

##### Revision 972264db - 06/11/2015 05:27 PM - bmbouter

Fixes 917 and 1006 by stopping an thread that should have exited

<https://pulp.plan.io/issues/917><https://pulp.plan.io/issues/1006>

fixes #917 fixes #1006 re #711

##### Revision 972264db - 06/11/2015 05:27 PM - bmbouter

Fixes 917 and 1006 by stopping an thread that should have exited

<https://pulp.plan.io/issues/917><https://pulp.plan.io/issues/1006>

fixes #917 fixes #1006 re #711

#### History

##### #1 - 05/27/2015 06:50 PM - mkovacik@redhat.com

Btw, to stop the logs from appearing issue a service httpd restart

##### #2 - 05/29/2015 04:39 PM - mhrivnak

- Triaged changed from No to Yes

##### #3 - 06/10/2015 10:23 PM - bmbouter

- Status changed from NEW to ASSIGNED

- Assignee set to bmbouter

##### #4 - 06/10/2015 10:25 PM - bmbouter

- Platform Release set to 2.7.0

##### #5 - 06/10/2015 10:26 PM - bmbouter

- Related to Issue #917: qpid errors are logged during repo sync when task notifications are enabled added

##### #6 - 06/11/2015 05:29 PM - bmbouter

- Status changed from ASSIGNED to POST

PR available at: <https://github.com/pulp/pulp/pull/1915>

##### #7 - 06/11/2015 06:12 PM - bmbouter

- Status changed from POST to MODIFIED

- % Done changed from 0 to 100

Applied in changeset [pulp972264db5599cb2ff4cab01d2d3678dc76dcae48](https://pulp.plan.io/changeset/pulp972264db5599cb2ff4cab01d2d3678dc76dcae48).

##### #8 - 06/15/2015 08:35 PM - dkliban@redhat.com

- Status changed from MODIFIED to 5

##### #9 - 07/13/2015 08:32 PM - pthomas@redhat.com

- Status changed from 5 to 6

verified

##### #10 - 11/06/2015 08:35 PM - amadonna@redhat.com

- Status changed from 6 to CLOSED - CURRENTRELEASE

**#12 - 04/15/2019 10:48 PM - bmbouter**

- Tags Pulp 2 added