

Puppet Support - Issue #1309

pulp-puppet-module-builder DELETes working_dir (and is severely broken in other ways...)

10/12/2015 04:47 PM - jortel@redhat.com

Status:	CLOSED - CURRENTRELEASE	Start date:	
Priority:	Normal	Due date:	
Assignee:	jortel@redhat.com	Estimated time:	0:00 hour
Category:		Groomed:	No
Sprint/Milestone:		Sprint Candidate:	No
Severity:	2. Medium	Tags:	Pulp 2
Version:		Sprint:	
Platform Release:	2.8.1	Quarter:	
OS:			
Triaged:	Yes		

Description

Description of problem:

- malformed URLs can even make pulp-puppet-module-builder *DELETE* the whole working_dir (dont try --url=/srv/git/puppet-modules.git/ or anything ending with a slash)
- it does not work if a git repo contains more than one puppet module
- it does not work for URLs with relative path names like --url=[git@git.example.com](http://git@example.com):puppet-modules.git
- clean option does not work for any repo where the remote puppet-modules.git is cloned to a local puppet-modules/

Version-Release number of selected component (if applicable):
pulp-puppet-tools-2.6.0.14-1
python-pulp-puppet-common-2.6.0.14-1

How reproducible:
Just try anything of the above.

Actual results:
Nothing useful at best or in case of malformed URL complete loss of data in working_dir

Associated revisions

Revision 17738f98 - 03/07/2016 09:53 PM - jortel@redhat.com

Fix --clean option. closes #1309

Revision d62b86ba - 03/14/2016 10:19 PM - jortel@redhat.com

Fix --clean option. closes #130

History

#1 - 10/12/2015 04:48 PM - jortel@redhat.com

Let's discuss each issue separately:

- The behavior of --clean when the URL has a trailing '/' is definitely a bug and needs to be fixed.

- The issue of: "it does not work if a git repo contains more than one puppet module". Can you include the URL for a git repository containing more than one module? Tested with: git@github.com:puppetlabs/puppetlabs-strings.git/ and it built (2) modules: username-test-0.0.1.tar.gz, puppetlabs-strings-0.2.0.tar.gz.

- The issue of: it "does not work for URLs with relative path names like --url=git@git.example.com:puppet-modules.git". Can be more specific about what does not work?

The issue of: "--clean option does not work for any repo where the remote puppet-modules.git is cloned to a local puppet-modules". is definitely a bug and needs to be fixed.

#2 - 10/16/2015 04:24 PM - dkliban@redhat.com

- Triaged changed from No to Yes

Please create separate issues as you see appropriate.

#3 - 03/07/2016 07:35 PM - jortel@redhat.com

- Status changed from NEW to POST

- Assignee set to jortel@redhat.com

- Platform Release set to 2.8.1

https://github.com/pulp/pulp_puppet/pull/218

#4 - 03/07/2016 07:38 PM - jortel@redhat.com

Fixed --clean but still cannot reproduce the reported issues related to finding and building puppet modules. Ran this using the git repository suggested by the reporter.

```
[jortel@f23d ~]$ pulp-puppet-module-builder -w /tmp/puppet/ -cu https://github.com/shetze/puppet-modules.git/
rm -rf /tmp/puppet/puppet-modules
cd /tmp/puppet/
git clone --recursive https://github.com/shetze/puppet-modules.git
cd puppet-modules
git status
git remote show -n origin
git fetch
git fetch --tags
find . -name Modulefile -o -name metadata.json
puppet module build ./module-git
mkdir -p /tmp/puppet/
cp ./module-git/pkg/LunetIX-git-0.6.5.tar.gz /tmp/puppet/
puppet module build ./profile-buildhost
mkdir -p /tmp/puppet/
cp ./profile-buildhost/pkg/LunetIX-buildhost-0.4.5.tar.gz /tmp/puppet/
puppet module build ./profile-dockerhost
mkdir -p /tmp/puppet/
cp ./profile-dockerhost/pkg/LunetIX-dockerhost-0.3.0.tar.gz /tmp/puppet/
cp ./profile-dockerhost/pkg/LunetIX-dockerhost-0.1.0.tar.gz /tmp/puppet/
cd /tmp/puppet/
cd /tmp/puppet/puppet-modules
cd /home/jortel
rm -rf /tmp/puppet/puppet-modules
[jortel@f23d ~]$ ll /tmp/puppet
total 48
-rw-rw-r-- 1 jortel jortel 27334 Mar  7 12:36 LunetIX-buildhost-0.4.5.tar.gz
-rw-rw-r-- 1 jortel jortel  3799 Mar  7 12:36 LunetIX-dockerhost-0.1.0.tar.gz
-rw-rw-r-- 1 jortel jortel  3757 Mar  7 12:36 LunetIX-dockerhost-0.3.0.tar.gz
-rw-rw-r-- 1 jortel jortel  5931 Mar  7 12:36 LunetIX-git-0.6.5.tar.gz
-rw-rw-r-- 1 jortel jortel   401 Mar  7 12:36 PULP_MANIFEST
[jortel@f23d ~]$ cat /tmp/puppet/PULP_MANIFEST
LunetIX-dockerhost-0.1.0.tar.gz,f66dede1e6be15bbc9b6bbe6397b75d24fd1b7c931a66276ed8959bee7621716,3799
LunetIX-dockerhost-0.3.0.tar.gz,5650f8e3a4e87c116445275b53d216e54494f41123600208e8edf08e84f75316,3757
LunetIX-buildhost-0.4.5.tar.gz,7d0a22531211c5fe8c49a6a26f92a548e67fdb9dd2940800e5f11fbd1dc0784a,27334
LunetIX-git-0.6.5.tar.gz,bc933e9e7449267fd1df8c719fd5235719dc58ba08d17a2ad9a52e6070c1b958,5931
```

#5 - 03/10/2016 05:13 PM - jortel@redhat.com

- Status changed from POST to MODIFIED

- % Done changed from 0 to 100

Applied in changeset [17738f98097bc1e55753cb12cf9b7c81e6e5b09c](https://github.com/pulp/pulp_puppet/pull/221).

#6 - 03/14/2016 10:21 PM - jortel@redhat.com

- Status changed from MODIFIED to POST

https://github.com/pulp/pulp_puppet/pull/221

#7 - 03/23/2016 07:54 PM - semyers

- Platform Release changed from 2.8.1 to 2.8.2

#8 - 03/31/2016 09:45 PM - jcline@redhat.com

- Status changed from POST to 5
- Platform Release changed from 2.8.2 to 2.8.1

This was not moved to the correct state when it was merged. It is contained in the ``pulp-puppet-2.8.1-0.1.beta`` tag so I'm moving it to a 2.8.1 release target.

#9 - 04/05/2016 10:19 PM - semyers

- Status changed from 5 to CLOSED - CURRENTRELEASE

#11 - 04/15/2019 10:42 PM - bmbouter

- Tags Pulp 2 added