

Packaging - Issue #1681

Stand alone install of pulp-consumer is failing with missing dependency

02/16/2016 06:54 PM - pthomas@redhat.com

Status:	CLOSED - NOTABUG	Start date:	
Priority:	Normal	Due date:	
Assignee:		Estimated time:	0:00 hour
Category:			
Sprint/Milestone:			
Severity:	2. Medium	Groomed:	No
Version - Packaging:		Sprint Candidate:	No
Platform Release:		Tags:	Pulp 2
Target Release - Packaging:		Sprint:	
OS:		Quarter:	
Triaged:	No		

Description

Installing pulp-consumer by itself on a system is failing with following dependency

```
[root@celeno ~]#
[root@celeno ~]# sudo yum groupinstall pulp-consumer-qpuid
Loaded plugins: product-id, security, subscription-manager
This system is not registered to Red Hat Subscription Management. You can use subscription-manager
to register.
Setting up Group Process
beaker-HighAvailability/group_gz | 4.0 kB    00:00
beaker-LoadBalancer/group_gz   | 2.1 kB    00:00
beaker-ResilientStorage/group_gz | 5.6 kB    00:00
beaker-ScalableFileSystem/group_gz | 2.7 kB    00:00
beaker-Server/group_gz        | 211 kB    00:00
beaker-Server-SAP/group_gz     | 585 B     00:00
beaker-Server-SAPHANA/group_gz | 391 B     00:00
beaker-Server-optional/group_gz | 5.8 kB    00:00
epel/group_gz                  | 149 kB    00:00
pulp-2.7-beta/group_gz        | 536 B     00:00
Resolving Dependencies
--> Running transaction check
---> Package pulp-agent.noarch 0:2.8.0-0.5.beta.git.107.d52583d.el6 will be installed
--> Processing Dependency: python-pulp-bindings = 2.8.0 for package: pulp-agent-2.8.0-0.5.beta.git.107.d52583d.el6.noarch
--> Processing Dependency: python-pulp-agent-lib = 2.8.0 for package: pulp-agent-2.8.0-0.5.beta.git.107.d52583d.el6.noarch
--> Processing Dependency: python-gofer >= 2.5 for package: pulp-agent-2.8.0-0.5.beta.git.107.d52583d.el6.noarch
--> Processing Dependency: gofer >= 2.5 for package: pulp-agent-2.8.0-0.5.beta.git.107.d52583d.el6.noarch
---> Package pulp-consumer-client.noarch 0:2.8.0-0.5.beta.git.107.d52583d.el6 will be installed
--> Processing Dependency: python-pulp-common = 2.8.0 for package: pulp-consumer-client-2.8.0-0.5.beta.git.107.d52583d.el6.noarch
--> Processing Dependency: python-pulp-client-lib = 2.8.0 for package: pulp-consumer-client-2.8.0-0.5.beta.git.107.d52583d.el6.noarch
---> Package pulp-puppet-consumer-extensions.noarch 0:2.8.0-0.5.beta.git.6.5894bd0.el6 will be installed
--> Processing Dependency: python-pulp-puppet-common = 2.8.0 for package: pulp-puppet-consumer-extensions-2.8.0-0.5.beta.git.6.5894bd0.el6.noarch
---> Package pulp-puppet-handlers.noarch 0:2.8.0-0.5.beta.git.6.5894bd0.el6 will be installed
--> Processing Dependency: puppet >= 2.7.14 for package: pulp-puppet-handlers-2.8.0-0.5.beta.git.6.5894bd0.el6.noarch
```

```

---> Package pulp-rpm-consumer-extensions.noarch 0:2.8.0-0.5.beta.git.46.c9f2464.el6 will be installed
---> Package pulp-rpm-handlers.noarch 0:2.8.0-0.5.beta.git.46.c9f2464.el6 will be installed
--> Processing Dependency: python-pulp-rpm-common = 2.8.0 for package: pulp-rpm-handlers-2.8.0-0.5.beta.git.46.c9f2464.el6.noarch
---> Package pulp-rpm-yumplugins.noarch 0:2.8.0-0.5.beta.git.46.c9f2464.el6 will be installed
---> Package python-gofer-qpuid.noarch 0:2.6.6-2.el6 will be installed
--> Processing Dependency: python-qpuid >= 0.18 for package: python-gofer-qpuid-2.6.6-2.el6.noarch
--> Running transaction check
---> Package gofer.noarch 0:2.6.6-2.el6 will be installed
---> Package puppet.noarch 0:2.7.26-2.el6 will be installed
--> Processing Dependency: facter < 1:2.0 for package: puppet-2.7.26-2.el6.noarch
--> Processing Dependency: ruby(abi) >= 1.8 for package: puppet-2.7.26-2.el6.noarch
--> Processing Dependency: ruby >= 1.8.5 for package: puppet-2.7.26-2.el6.noarch
--> Processing Dependency: facter >= 1.5 for package: puppet-2.7.26-2.el6.noarch
--> Processing Dependency: ruby-shadow for package: puppet-2.7.26-2.el6.noarch
--> Processing Dependency: ruby-augeas for package: puppet-2.7.26-2.el6.noarch
--> Processing Dependency: ruby(selinux) for package: puppet-2.7.26-2.el6.noarch
--> Processing Dependency: /usr/bin/ruby for package: puppet-2.7.26-2.el6.noarch
---> Package python-gofer.noarch 0:2.6.6-2.el6 will be installed
---> Package python-gofer-qpuid.noarch 0:2.6.6-2.el6 will be installed
--> Processing Dependency: python-qpuid >= 0.18 for package: python-gofer-qpuid-2.6.6-2.el6.noarch
---> Package python-pulp-agent-lib.noarch 0:2.8.0-0.5.beta.git.107.d52583d.el6 will be installed
---> Package python-pulp-bindings.noarch 0:2.8.0-0.5.beta.git.107.d52583d.el6 will be installed
--> Processing Dependency: python-oauth2 >= 1.5.170-2.pulp for package: python-pulp-bindings-2.8.0-0.5.beta.git.107.d52583d.el6.noarch
---> Package python-pulp-client-lib.noarch 0:2.8.0-0.5.beta.git.107.d52583d.el6 will be installed
--> Processing Dependency: python-okaara >= 1.0.32 for package: python-pulp-client-lib-2.8.0-0.5.beta.git.107.d52583d.el6.noarch
--> Processing Dependency: python-isodate >= 0.5.0-1.pulp for package: python-pulp-client-lib-2.8.0-0.5.beta.git.107.d52583d.el6.noarch
---> Package python-pulp-common.noarch 0:2.8.0-0.5.beta.git.107.d52583d.el6 will be installed
---> Package python-pulp-puppet-common.noarch 0:2.8.0-0.5.beta.git.6.5894bd0.el6 will be installed
---> Package python-pulp-rpm-common.noarch 0:2.8.0-0.5.beta.git.46.c9f2464.el6 will be installed
--> Running transaction check
---> Package facter.x86_64 0:1.6.18-8.el6 will be installed
---> Package libselinux-ruby.x86_64 0:2.0.94-5.8.el6 will be installed
---> Package python-gofer-qpuid.noarch 0:2.6.6-2.el6 will be installed
--> Processing Dependency: python-qpuid >= 0.18 for package: python-gofer-qpuid-2.6.6-2.el6.noarch
---> Package python-isodate.noarch 0:0.5.0-4.pulp.el6 will be installed
---> Package python-oauth2.noarch 0:1.5.211-8.el6 will be installed
--> Processing Dependency: python-simplejson for package: python-oauth2-1.5.211-8.el6.noarch
--> Processing Dependency: python-httplib2 for package: python-oauth2-1.5.211-8.el6.noarch
---> Package python-okaara.noarch 0:1.0.35-1.el6 will be installed
---> Package ruby.x86_64 0:1.8.7.374-4.el6_6 will be installed
---> Package ruby-augeas.x86_64 0:0.4.1-1.el6 will be installed
---> Package ruby-libs.x86_64 0:1.8.7.374-4.el6_6 will be installed
--> Processing Dependency: libreadline.so.5()(64bit) for package: ruby-libs-1.8.7.374-4.el6_6.x86_64
---> Package ruby-shadow.x86_64 0:1.4.1-13.el6 will be installed
--> Running transaction check
---> Package compat-readline5.x86_64 0:5.2-17.1.el6 will be installed
---> Package python-gofer-qpuid.noarch 0:2.6.6-2.el6 will be installed
--> Processing Dependency: python-qpuid >= 0.18 for package: python-gofer-qpuid-2.6.6-2.el6.noarch
---> Package python-httplib2.noarch 0:0.7.7-1.el6 will be installed
---> Package python-simplejson.x86_64 0:2.0.9-3.1.el6 will be installed
--> Finished Dependency Resolution
Error: Package: python-gofer-qpuid-2.6.6-2.el6.noarch (pulp-2.7-beta)
        Requires: python-qpuid >= 0.18
        Available: python-qpuid-0.14-11.el6_3.noarch (beaker-Server)
                   python-qpuid = 0.14-11.el6_3
You could try using --skip-broken to work around the problem
You could try running: rpm -Va --nofiles --nodigest

```

History

#1 - 02/17/2016 07:35 PM - dkliban@redhat.com

I believe this issue can be resolved by enabling the qpid copr repo. More info can be found here[0]

[0] <http://qpid.apache.org/packages.html#epel>

#2 - 02/17/2016 08:13 PM - pthomas@redhat.com

please update the documentation.

#3 - 02/19/2016 04:56 PM - mhrivnak

- *Status changed from NEW to CLOSED - NOTABUG*

Preethi says this is not a bug.

#4 - 04/15/2019 10:35 PM - bmbouter

- *Tags Pulp 2 added*