

Pulp - Story #203

[RFE] Add 'diff' endpoint for repository versions

02/19/2015 02:11 AM - jperrin@centos.org

Status:	NEW	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0:00 hour
Sprint/Milestone:		QA Contact:	pthomas@redhat.com
Platform Release:		Complexity:	
Blocks Release:		Smash Test:	
Backwards Incompatible:	No	Verified:	No
Groomed:	No	Verification Required:	No
Sprint Candidate:	No	Sprint:	
Tags:			

Description

++ This bug was initially created as a clone of [Bugzilla Bug #989751](#) ++

Description of problem:

Description of problem:

Previously this was added into the 1.x tree via

https://bugzilla.redhat.com/show_bug.cgi?id=805678

Generating a 'diff' between two repositories (say one that tracks updates live, and one that's production tested) to see any differences. See the bug listed above for the original patch and filing.

Version-Release number of selected component (if applicable):

How reproducible:

Always.

Steps to Reproduce:

1. Install pulp 2.x
2. try to diff repos.
3. Recall previous bug and try to bribe devs with alcohol.

Actual results:

Haven't found out what drinks are appropriate for the level of effort required.

Expected results:

Slightly buzzed developers and happy users.

Additional info:

History

#1 - 04/05/2019 04:51 PM - amacdona@redhat.com

- Subject changed from [RFE] Add 'diff' command to pulp-admin to [RFE] Add 'diff' endpoint for repository versions

- Tags Pulp 3 added

#2 - 04/26/2019 10:40 PM - bmbouter

- Tags deleted (Pulp 3)