

## Docker Support - Issue #2601

As an admin, I would like the `repo_registry_id` included in `pulp-admin docker repo list` output

02/21/2017 07:02 PM - tomckay@redhat.com

<b>Status:</b>	CLOSED - WORKSFORME	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>Estimated time:</b>	0:00 hour
<b>Category:</b>			
<b>Sprint/Milestone:</b>			
<b>Severity:</b>	2. Medium	<b>Groomed:</b>	No
<b>Version - Docker:</b>		<b>Sprint Candidate:</b>	No
<b>Platform Release:</b>		<b>Tags:</b>	Pulp 2
<b>Target Release - Docker:</b>		<b>Sprint:</b>	
<b>OS:</b>		<b>Quarter:</b>	
<b>Triaged:</b>	No		

**Description**

```
$ pulp-admin -u admin -p admin docker repo list --repo-id 3-red_hat_container_catalog-v1_0-841eaf2f-8b61-4f07-83fd-649ecbf0e1d9
```

```
+-----+
|                                     |
|                               Docker Repositories                               |
|                                     |
+-----+
```

Id: 3-red\_hat\_container\_catalog-v1\_0-841eaf2f-8b61-4f07-83fd-649ecbf0e1d9  
Display Name: rhel  
Description: None  
Content Unit Counts:  
 Docker Blob: 30  
 Docker Manifest: 31  
 Docker Tag: 31

The id is useful but the name necessary to pass to 'docker pull' is the `repo_registry_id`.

## History

#1 - 02/21/2017 08:00 PM - dkliban@redhat.com

- Status changed from NEW to CLOSED - WORKSFORME

It's already there when `repo-registry-id` is explicitly defined. If not, `repo-id` is the value used for `repo-registry-id`.

```
[vagrant@dev ci]$ pulp-admin -u admin -p admin docker repo list --details --repo-id mydocker-repo2
```

```
+-----+
|                                     |
|                               Docker Repositories                               |
|                                     |
+-----+
```

Id: mydocker-repo2  
Display Name: None  
Description: None  
Content Unit Counts:  
Notes:  
Scratchpad:  
Importers:  
 Config:  
 Feed: http://127.0.0.1:5000  
 Upstream Name: ubuntu  
 Id: docker\_importer  
 Importer Type Id: docker\_importer  
 Last Override Config:  
 Last Sync: None  
 Last Updated: 2017-02-21T18:14:08Z

```
Repo Id: mydocker-repo2
Scratchpad: None
Distributors:
  Auto Publish: False
  Config:
    Repo-registry-id: blah/balh
  Distributor Type Id: docker_distributor_web
  Id: docker_web_distributor_name_cli
  Last Override Config:
  Last Publish: None
  Last Updated: 2017-02-21T18:14:08Z
  Repo Id: mydocker-repo2
  Scratchpad:
  Auto Publish: False
  Config:
    Repo-registry-id: blah/balh
  Distributor Type Id: docker_distributor_export
  Id: docker_export_distributor_name_cli
  Last Override Config:
  Last Publish: None
  Last Updated: 2017-02-21T18:14:08Z
  Repo Id: mydocker-repo2
  Scratchpad:
```

**#2 - 04/15/2019 10:20 PM - bmbouter**

- Tags Pulp 2 added