

RPM Support - Story #2626

As a user, I can upload updateinfo XML to a repository to generate errata.

03/08/2017 10:22 PM - semyers

Status:	CLOSED - WONTFIX	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0:00 hour
Sprint/Milestone:		Tags:	Pulp 2
Platform Release:		Sprint:	
Groomed:	No	Quarter:	
Sprint Candidate:	No		

Description

Maybe I'm missing something, but as far as I can tell the only way to create errata outside of a sync is to use `pulp-admin rpm repo uploads erratum`. CentOS doesn't publish updateinfo XML, but tools exist to create updateinfo XML for CentOS repositories, so it would be handy for CentOS users to have a simple way to upload updateinfo files to pulp and have pulp generate errata units properly associated with a given repo based on the contents of that updateinfo file.

History

#1 - 03/08/2017 10:22 PM - semyers

I was tinkering with this a little bit, and came up with this script, which is probably terrible:

<https://gist.github.com/seandst/e254e87bc8479a4aca096e826bc4e30d>

#2 - 04/12/2019 10:18 PM - bmbouter

- Status changed from NEW to CLOSED - WONTFIX

Pulp 2 is approaching maintenance mode, and this Pulp 2 ticket is not being actively worked on. As such, it is being closed as WONTFIX. Pulp 2 is still accepting contributions though, so if you want to contribute a fix for this ticket, please reopen or comment on it. If you don't have permissions to reopen this ticket, or you want to discuss an issue, please reach out via the [developer mailing list](#).

#3 - 04/15/2019 10:20 PM - bmbouter

- Tags Pulp 2 added