

## Puppet Support - Story #28

As a user, I can install puppet modules into an environment on a consumer

12/18/2014 05:12 PM - Anonymous

<b>Status:</b> CLOSED - WONTFIX	<b>Start date:</b>
<b>Priority:</b> Normal	<b>Due date:</b>
<b>Assignee:</b>	<b>% Done:</b> 0%
<b>Category:</b>	<b>Estimated time:</b> 0:00 hour
<b>Sprint/Milestone:</b>	<b>Tags:</b> Pulp 2
<b>Platform Release:</b>	<b>Sprint:</b>
<b>Groomed:</b> No	<b>Quarter:</b>
<b>Sprint Candidate:</b> No	

**Description**

When doing a puppet module install on a consumer, pulp should allow the command to specify an environment into which the module gets installed. ""environments"" are a puppet concept, and the ""puppet module"" tool supports them as a command line option. Deliverables: when initiating a puppet module action on a consumer, an environment can be specified

### Associated revisions

#### Revision cfbec608 - 03/10/2015 02:41 PM - Michael Hrivnak

Merge pull request #28 from mhrivnak/search-defaults

Defaults are no longer hard-coded for solr-based search results

### History

#### #2 - 10/11/2016 03:22 PM - mhrivnak

- Status changed from NEW to CLOSED - WONTFIX

The consumer agent feature is being removed in pulp 3, and no further enhancements are planned for it in pulp 2.

#### #3 - 04/15/2019 11:22 PM - bmbouter

- Tags Pulp 2 added