

## Pulp - Issue #3679

### Error on pulp\_resource\_manager and pulp\_celerybeat resources when using qpidd+ssl

05/17/2018 03:46 PM - Anonymous

<b>Status:</b>	CLOSED - WORKSFORME	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>Estimated time:</b>	0:00 hour
<b>Category:</b>			
<b>Sprint/Milestone:</b>			
<b>Severity:</b>	3. High	<b>Groomed:</b>	No
<b>Version:</b>		<b>Sprint Candidate:</b>	No
<b>Platform Release:</b>		<b>Tags:</b>	Pulp 2
<b>OS:</b>	RHEL 7	<b>Sprint:</b>	
<b>Triaged:</b>	No	<b>Quarter:</b>	

**Description**

Followed the instructions to configure Qpid+SSL and Qpidd/Httpd service seems to work fine but pulp\_resource\_manager as well as pulp\_celerybeat fail.

**Environment**

- RHEL 7.x
- Pulp 2.13.1

**Steps to Reproduce**

- Follow the instructions to configure Qpid Over SSL using <https://docs.pulpproject.org/user-guide/qpidd.html>
- **qpidd-cpp-server-ssl** is not needed on RHEL 7.x and is already included on **qpidd-cpp-server**
- Change the permissions on the /etc/pki/pulp/qpidd/\*\*.cert to allow **qpidd** user to read. Otherwise the Qpidd service will not start.

I get the following error and is very similar for **pulp\_resource\_manager** and **pulp\_celerybeat**

```
pulp_celerybeat.service - Pulp's Celerybeat

Loaded: loaded (/usr/lib/systemd/system/pulp_celerybeat.service; enabled; vendor preset: disabled)

Active: inactive (dead) since Thu 2018-05-17 08:34:41 CDT; 1min 41s ago

Process: 45045 ExecStart=/usr/bin/celery beat --app=pulp.server.async.celery_instance.celery --scheduler=pulp.server.async.scheduler.Scheduler (code=exited, status=0/SUCCESS)

Main PID: 45045 (code=exited, status=0/SUCCESS)

May 17 08:34:40 pulpserver pulp[45045]: celery.beat:CRITICAL: (45045-85152) return self.connection
May 17 08:34:40 pulpserver pulp[45045]: celery.beat:CRITICAL: (45045-85152) File "/usr/lib/python2.7/site-packages/kombu/connection.py", line 741, in connection
May 17 08:34:40 pulpserver pulp[45045]: celery.beat:CRITICAL: (45045-85152) self._connection = self._establish_connection()
May 17 08:34:40 pulpserver pulp[45045]: celery.beat:CRITICAL: (45045-85152) File "/usr/lib/python2.7/site-packages/kombu/connection.py", line 696, in _establish_connection
May 17 08:34:40 pulpserver pulp[45045]: celery.beat:CRITICAL: (45045-85152) conn = self.transport.establish_connection()
```

```
May 17 08:34:40 pulpserver pulp[45045]: celery.beat:CRITICAL: (45045-85152) File "/usr/lib/python2.7/site-packages/kombu/transport/qpuid.py", line 1600, in establish_connection
May 17 08:34:40 pulpserver pulp[45045]: celery.beat:CRITICAL: (45045-85152) conn = self.Connection(**opts)
May 17 08:34:40 pulpserver pulp[45045]: celery.beat:CRITICAL: (45045-85152) File "/usr/lib/python2.7/site-packages/kombu/transport/qpuid.py", line 1284, in __init__
May 17 08:34:40 pulpserver pulp[45045]: celery.beat:CRITICAL: (45045-85152) raise AuthenticationFailure(sys.exc_info()[1])
May 17 08:34:40 pulpserver pulp[45045]: celery.beat:CRITICAL: (45045-85152) AuthenticationFailure: connection-forced: Connection must be encrypted. (320)
This message is intended for use only by the person(s) addressed above and may contain privileged and confidential information. Disclosure or use of this message by any other person is strictly prohibited. If this message is received in error, please notify the sender immediately and delete this message.
```

## History

---

### #1 - 05/17/2018 08:10 PM - daviddavis

- Status changed from NEW to CLOSED - WORKSFORME

Helped user on IRC and problem was with a commented out line (`#[tasks]`) in `server.conf`.

### #2 - 04/15/2019 10:11 PM - bmbouter

- Tags Pulp 2 added

### #3 - 06/16/2020 10:54 PM - bmbouter

- Category deleted (14)

We are removing the 'API' category per open floor discussion June 16, 2020.

## Files

---

Screenshot from 2018-05-17 09-45-43.png

65.8 KB

05/17/2018

Anonymous