

Pulp - Issue #3856

In the bindings, href docstring is ambiguous and sometimes has the wrong type

07/16/2018 10:40 PM - daviddavis

Status:	MODIFIED	Start date:	
Priority:	Normal	Due date:	
Assignee:	dkliban@redhat.com	Estimated time:	0:00 hour
Category:		Sprint Candidate:	No
Sprint/Milestone:	3.0	Tags:	API Bindings
Severity:	2. Medium	QA Contact:	
Version:		Complexity:	
Platform Release:		Smash Test:	
Blocks Release:		Verified:	No
OS:		Verification Required:	No
Backwards Incompatible:	No	Sprint:	Sprint 42
Triaged:	Yes		
Groomed:	No		

Description

Looking at the API bindings:

```
class RepositoriesApi(object):

    def repositories_versions_create(self, href, data, **kwargs): # noqa: E501
        """repositories_versions_create # noqa: E501

        :param str href: A relative URI for the resource. (required)
        :param RepositoryVersion data: (required)
        :return: AsyncOperationResponse
            If the method is called asynchronously,
            returns the request thread.
        """
        pass

    def repositories_versions_delete(self, href, **kwargs):
# noqa: E501
        """
        repositories_versions_delete # noqa: E501

        :param int href: A relative URI for the resource. (required)

        :return: AsyncOperationResponse
            If the method is called asynchronously,
            returns the request thread.
        """
```

It's not totally clear what href means. Also, for `repositories_versions_delete()` it says the href type is an int.

Associated revisions

Revision [b9399bcd](#) - 08/30/2018 03:27 PM - [dkliban@redhat.com](#)

Problem: OpenAPI schema doesn't use URIs to identify resources

Solution: Create a custom OpenAPI generator that refers to resources by their URI.

closes #3856
<https://pulp.plan.io/issues/3856>

closes #3851
<https://pulp.plan.io/issues/3851>

Revision b9399bcd - 08/30/2018 03:27 PM - dkliban@redhat.com

Problem: OpenAPI schema doesn't use URIs to identify resources

Solution: Create a custom OpenAPI generator that refers to resources by their URI.

closes #3856
<https://pulp.plan.io/issues/3856>

closes #3851
<https://pulp.plan.io/issues/3851>

Revision b9399bcd - 08/30/2018 03:27 PM - dkliban@redhat.com

Problem: OpenAPI schema doesn't use URIs to identify resources

Solution: Create a custom OpenAPI generator that refers to resources by their URI.

closes #3856
<https://pulp.plan.io/issues/3856>

closes #3851
<https://pulp.plan.io/issues/3851>

History

#1 - 07/17/2018 03:13 PM - daviddavis

- *Tags API Bindings added*

#2 - 07/17/2018 03:17 PM - daviddavis

- *Subject changed from *In the bindings, href docstring is ambiguous and sometimes wrong* has the wrong type to *In the bindings, href docstring is ambiguous and sometimes has the wrong type**

#3 - 07/17/2018 04:36 PM - CodeHeeler

- *Triaged changed from No to Yes*

- *Sprint set to Sprint 40*

#4 - 08/06/2018 03:17 PM - rchan

- *Sprint changed from Sprint 40 to Sprint 41*

#5 - 08/24/2018 07:25 PM - dkliban@redhat.com

- Status changed from NEW to POST
- Assignee set to dkliban@redhat.com

<https://github.com/pulp/pulp/pull/3561>

#6 - 08/27/2018 03:18 PM - rchan

- Sprint changed from Sprint 41 to Sprint 42

#7 - 08/31/2018 07:42 PM - dkliban@redhat.com

- Status changed from POST to MODIFIED

Applied in changeset [pulpb9399bcd3fd2736c6a6a0ad1ac14d9b20395b115](#).

#8 - 04/26/2019 10:34 PM - bmbouter

- Tags deleted (Pulp 3)