

## RPM Support - Story #4203

Story # 4188 (CLOSED - CURRENTRELEASE): As a Pulp3 user, I have containers

### As an RPM user, I have containers

11/27/2018 10:56 PM - bmbouter

<b>Status:</b> NEW	<b>Start date:</b>
<b>Priority:</b> Normal	<b>Due date:</b>
<b>Assignee:</b>	<b>% Done:</b> 0%
<b>Category:</b>	<b>Estimated time:</b> 0:00 hour
<b>Sprint/Milestone:</b>	<b>Tags:</b>
<b>Platform Release:</b>	<b>Sprint:</b>
<b>Groomed:</b> No	<b>Quarter:</b>
<b>Sprint Candidate:</b> No	

**Description**

This machinery should run when a release tag is pushed indicating a new release, similar to how plugins publish to PyPI already. When activated it should:

1. Install the plugin on top of the generic, most recent core container.
2. start that container and run pulp-smash tests against it
3. If all the tests pass, publish the container to quay.io with credentials

The credentials need to be configured somehow in the config files.

### History

**#1 - 11/27/2018 10:57 PM - bmbouter**

- Parent task set to #4188

**#2 - 04/26/2019 10:33 PM - bmbouter**

- Tags deleted (Pulp 3)