

Pulp - Issue #4665

Field base_version set as none even when repo has multiple versions

04/10/2019 10:20 PM - kersom

Status:	CLOSED - WONTFIX	Start date:	
Priority:	Normal	Due date:	
Assignee:		Estimated time:	0:00 hour
Category:		Groomed:	No
Sprint/Milestone:	3.0.0	Sprint Candidate:	No
Severity:	2. Medium	Tags:	
Version:		Sprint:	
Platform Release:		Quarter:	
OS:			
Triaged:	Yes		
Description			
<p>Once a repository has more than one version, the second one is expected to have the field `base_version` linked to the first version.</p> <p>See docs: https://docs.pulpproject.org/en/3.0/nightly/restapi.html#operation/repositories_versions_read</p> <pre>[{'_created': '2018-12-21T01:42:00.315279Z', '_href': '/pulp/api/v3/repositories/3861f724-072f-4cff-8b49-eded158a34c6/versions/2/', 'base_version': None, 'content_summary': {'added': {}, 'present': {'file.file': {'count': 3, 'href': '/pulp/api/v3/content/file/files/?repository_version=/pulp/api/v3/repositories/3861f724-072f-4cff-8b49-eded158a34c6/versions/2/'}, 'removed': {}}, 'number': 2}, {'_created': '2018-12-21T01:39:58.340692Z', '_href': '/pulp/api/v3/repositories/3861f724-072f-4cff-8b49-eded158a34c6/versions/1/', 'base_version': None, 'content_summary': {'added': {'file.file': {'count': 3, 'href': '/pulp/api/v3/content/file/files/?repository_version_added=/pulp/api/v3/repositories/3861f724-072f-4cff-8b49-eded158a34c6/versions/1/'}, 'present': {'file.file': {'count': 3, 'href': '/pulp/api/v3/content/file/files/?repository_version=/pulp/api/v3/repositories/3861f724-072f-4cff-8b49-eded158a34c6/versions/1/'}, 'removed': {}}, 'number': 1}]</pre> <p>repo versions were created using 2 syncs. first a lazy sync, and second a immediate sync.</p> <p>Pulp 3 installation from source. April/09</p>			
Related issues:			
Related to Pulp - Story #4680: As a user I have lifecycle docs in pulpcore wo...		CLOSED - CURRENTRELEASE	

History

#1 - 04/10/2019 10:21 PM - kersom

- Subject changed from Field base_version set as none even when repo has multiple versions to Field base_version set as none even when repo has multiple versions

#2 - 04/10/2019 10:36 PM - bmbouter

I think I agree with you. It would be sweet if base_version was always set if it's version > 1

#3 - 04/12/2019 04:41 PM - amadonna@redhat.com

- Sprint/Milestone set to 3.0.0

- Triaged changed from No to Yes

#4 - 04/12/2019 05:45 PM - kersom

- Related to Story #4680: As a user I have lifecycle docs in pulpcore workflows added

#5 - 04/26/2019 10:30 PM - bmbouter

- Tags deleted (Pulp 3)

#6 - 08/20/2019 09:54 PM - daviddavis

Currently, the field `base_version` is only set if it's explicitly set in the creation of the new repo version. If we always set it, then we lose the historical information about whether the `base_version` was specified or not when the repo version was created.

#7 - 09/13/2019 05:33 PM - daviddavis

- Status changed from *NEW* to *CLOSED* - *WONTFIX*

Discussed with bmbouter and bmbouter who agree that the field is for historic purposes.