

Migration Plugin - Story #5446

As a user, pulp2 global settings are migrated

09/13/2019 10:21 AM - ttereshc

| | | | |
|--------------------------|--------|------------------------|-----------|
| Status: | NEW | Start date: | |
| Priority: | Normal | Due date: | |
| Assignee: | | % Done: | 0% |
| Category: | | Estimated time: | 0:00 hour |
| Sprint/Milestone: | | Tags: | |
| Platform Release: | | Sprint: | |
| Groomed: | No | Quarter: | |
| Sprint Candidate: | No | | |

Description

In Pulp 2 there is a way to configure global settings in json files.

To my knowledge, importers and distributors can be configured that way. The name reflects an importer/distributor type id. E.g. for yum_importer it's /etc/pulp/server/plugins.conf.d/yum_importer.json.

In Pulp 3 those settings should not become global, they just need to be used for migrating each importer/distributor. The config parameters defined on the importer itself take precedence.

History

#1 - 01/30/2020 10:48 PM - dalley

- Status changed from NEW to ASSIGNED

- Assignee set to dalley

#2 - 02/03/2020 03:47 PM - dalley

- Description updated

- Status changed from ASSIGNED to NEW

- Assignee deleted (dalley)

#3 - 03/25/2020 09:59 AM - ttereshc

- Parent task deleted (#5307)