

Pulp - Story #62

As a user, I want to query to see if a node is out of sync.

12/18/2014 05:12 PM - Anonymous

Status: CLOSED - WONTFIX	Start date:
Priority: Normal	Due date:
Assignee:	% Done: 0%
Category:	Estimated time: 0:00 hour
Sprint/Milestone:	
Platform Release:	Tags: Pulp 2
Groomed: No	Sprint:
Sprint Candidate: No	Quarter:
Description Need to support query of parent node to see which child nodes are out of sync. The following criteria will be used to detected the out-of-sync condition: At least 1 repository on the parent has been published since it was last synchronized to the child. At least 1 repository has been bound to the child since the last node sync. At least 1 previously bound repository exists on the child but has been unbound or deleted on the parent since the last node sync. At least 1 bound repository's properties have changed since last synchronized with the child. Here, the term properties includes: Repository model object: display_name description notes Distributor model objects config includes referenced certificates See: https://fedorahosted.org/katello/wiki/Feature/ContentNodes	

Associated revisions

Revision b29840e9 - 03/31/2015 05:14 PM - bmbouter

Merge pull request #62 from bmbouter/731-docs-fixes-for-redmine

Updates extlinks and its usages to use redmine.

History

#2 - 09/08/2016 09:53 PM - amacdona@redhat.com

- Status changed from NEW to CLOSED - WONTFIX

Closed because Pulp 3.0 will be dropping nodes support.

#3 - 04/15/2019 11:22 PM - bmbouter

- Tags Pulp 2 added