

## Pulp - Issue #6727

### Allow user to configure gunicorn --workers param during install

05/13/2020 08:02 PM - chouseknecht

<b>Status:</b>	CLOSED - CURRENTRELEASE	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>Estimated time:</b>	0:00 hour
<b>Category:</b>			
<b>Sprint/Milestone:</b>	3.4.0		
<b>Severity:</b>	2. Medium	<b>Groomed:</b>	No
<b>Version:</b>		<b>Sprint Candidate:</b>	No
<b>Platform Release:</b>		<b>Tags:</b>	
<b>OS:</b>		<b>Sprint:</b>	
<b>Triaged:</b>	No	<b>Quarter:</b>	
<b>Description</b>			
Some GalaxyNG views make API calls to the content app. This creates a deadlock situation when there is only a single gunicorn worker listening for requests.			

#### Associated revisions

##### Revision 63203884 - 05/13/2020 08:19 PM - chouseknecht

Make gunicorn --workers param user configurable

closes #6727 <https://pulp.plan.io/issues/6727>

##### Revision 63203884 - 05/13/2020 08:19 PM - chouseknecht

Make gunicorn --workers param user configurable

closes #6727 <https://pulp.plan.io/issues/6727>

##### Revision fc9a90fc - 05/15/2020 10:10 PM - chouseknecht

Make gunicorn --workers param user configurable

closes #6727 <https://pulp.plan.io/issues/6727>

#### History

##### #1 - 05/13/2020 09:16 PM - chouseknecht

- Status changed from NEW to MODIFIED

Applied in changeset [ansible-pulp|6320388463a901451a86223184950370a5aa411b](#).

##### #2 - 05/15/2020 10:10 PM - chouseknecht

Applied in changeset [ansible-pulp|fc9a90fc7c20d4c97206060084e281bcbfd852](#).

##### #3 - 05/28/2020 08:57 PM - chouseknecht

Applied in changeset [ansible-pulp|3|6320388463a901451a86223184950370a5aa411b](#).

**#4 - 05/29/2020 12:55 AM - dkliban@redhat.com**

- Status changed from MODIFIED to CLOSED - CURRENTRELEASE

**#5 - 05/29/2020 12:56 AM - dkliban@redhat.com**

- Sprint/Milestone set to 3.4.0