

## Migration Plugin - Issue #7016

### generated ruby bindings duplicate ruby classes under ./pulpcore/

06/19/2020 04:36 PM - jsherril@redhat.com

<b>Status:</b>	CLOSED - CURRENTRELEASE	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	ttereshc	<b>Estimated time:</b>	0:00 hour
<b>Category:</b>		<b>Sprint Candidate:</b>	No
<b>Sprint/Milestone:</b>	0.2.0	<b>Tags:</b>	Katello
<b>Severity:</b>	2. Medium	<b>Sprint:</b>	Sprint 75
<b>Platform Release:</b>		<b>Quarter:</b>	
<b>OS:</b>			
<b>Triaged:</b>	Yes		
<b>Groomed:</b>	No		

#### Description

When trying to update our rpm packaging around the pulp 2to3 migration plugin, i pulled in

[https://rubygems.org/gems/pulp\\_2to3\\_migration\\_client/versions/0.2.0b3](https://rubygems.org/gems/pulp_2to3_migration_client/versions/0.2.0b3)

and noticed that the gem is now duplicating files under ./pulpcore/

```
jlsherri~/rpmbuild/SPECS$ find ~/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulp_2to3_migration_client.gemspec  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/test  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/test/test_migration_plans_api.py  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/test/test_pulp2to3_migration_migration_plan.py  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/test/test_pulp2to3_migration_pulp2_content_read.py  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/test/test_inline_response200.py  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/test/test_migration_plan_run.py  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/test/test_pulp2content_api.py  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/test/__init__.py  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/test/test_async_operation_response.py  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/test/test_pulp2to3_migration_pulp2_repository_read.py  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/test/test_inline_response2002.py  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/test/test_pulp2repositories_api.py  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/test/test_pulp2to3_migration_migration_plan_read.py  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/test/test_inline_response2001.py  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/setup.py  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/Rakefile  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/spec  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/spec/models  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/spec/models/pulp2to3_migration_pulp2_content_read_spec.rb  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/spec/models/inline_response2002_spec.rb  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/spec/models/inline_response2001_spec.rb  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/spec/models/async_operation_response_spec.rb  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/spec/models/pulp2to3_migration_migration_plan_spec.rb  
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/spec/models/migration_plan_run_spec.rb
```

```
ec.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/spec/models/pulp2to3_migration_migration_plan_read_spec.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/spec/models/inline_response200_spec.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/spec/models/pulp2to3_migration_pulp2_repository_read_spec.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/spec/api
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/spec/api/pulp2repositories_api_spec.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/spec/api/pulp2content_api_spec.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/spec/api/migration_plans_api_spec.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/spec/spec_helper.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/spec/configuration_spec.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/spec/api_client_spec.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/Gemfile
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/test-requirements.txt
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/git_push.sh
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/setup.cfg
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/__init__.py
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/__init__.py
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration/rest.py
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration/models
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration/models/pulp2to3_migration_migration_plan.py
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration/models/pulp2to3_migration_migration_plan_read.py
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration/models/__init__.py
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration/models/migration_plan_run.py
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration/models/async_operation_response.py
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration/models/inline_response200.py
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration/models/pulp2to3_migration_pulp2_repository_read.py
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration/models/inline_response2001.py
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration/models/inline_response2002.py
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration/models/pulp2to3_migration_pulp2_content_read.py
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration/exceptions.py
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration/__init__.py
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration/api
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration/api/pulp2content_api.py
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration/api/__init__.py
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration/api/pulp2repositories_api.py
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration/api/migration_plans_api.py
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration/configuration.py
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/pulpcore/client/pulp_2to3_migration
```

```
on/api_client.py
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/tox.ini
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/docs
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/docs/InlineResponse2001.md
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/docs/Pulp2repositoriesApi.md
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/docs/InlineResponse2002.md
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/docs/Pulp2to3MigrationMigrationPlan.md
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/docs/AsyncOperationResponse.md
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/docs/Pulp2to3MigrationPulp2RepositoryRead.md
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/docs/MigrationPlanRun.md
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/docs/MigrationPlansApi.md
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/docs/InlineResponse200.md
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/docs/Pulp2to3MigrationPulp2ContentRead.md
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/docs/Pulp2contentApi.md
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/docs/Pulp2to3MigrationMigrationPlanRead.md
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/README.md
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/requirements.txt
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/lib
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/lib/pulp_2to3_migration_client
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/lib/pulp_2to3_migration_client/version.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/lib/pulp_2to3_migration_client/models
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/lib/pulp_2to3_migration_client/models/pulp2to3_migration_pulp2_repository_read.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/lib/pulp_2to3_migration_client/models/inline_response200.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/lib/pulp_2to3_migration_client/models/pulp2to3_migration_pulp2_content_read.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/lib/pulp_2to3_migration_client/models/async_operation_response.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/lib/pulp_2to3_migration_client/models/inline_response2002.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/lib/pulp_2to3_migration_client/models/inline_response2001.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/lib/pulp_2to3_migration_client/models/pulp2to3_migration_migration_plan.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/lib/pulp_2to3_migration_client/models/migration_plan_run.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/lib/pulp_2to3_migration_client/models/pulp2to3_migration_migration_plan_read.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/lib/pulp_2to3_migration_client/api
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/lib/pulp_2to3_migration_client/api/pulp2repositories_api.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/lib/pulp_2to3_migration_client/api/pulp2content_api.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/lib/pulp_2to3_migration_client/api/migration_plans_api.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/lib/pulp_2to3_migration_client/configuration.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/lib/pulp_2to3_migration_client/api_client.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/lib/pulp_2to3_migration_client/api_error.rb
/home/jlsherri/.gem/ruby/gems/pulp_2to3_migration_client-0.2.0b3/lib/pulp_2to3_migration_client.rb
```

this wasn't happening with b2. I checked another plugin (pulp\_file) and its nightly bindings gem wasn't showing the issue.

## Associated revisions

Revision 597a15bd - 06/22/2020 08:40 PM - ttereshc

Stop generating bindings in the post\_before\_script.

Bindings are already correctly generated as a part of script.sh.

closes #7016 <https://pulp.plan.io/issues/7016>

**Revision 597a15bd - 06/22/2020 08:40 PM - ttereshc**

Stop generating bindings in the post\_before\_script.

Bindings are already correctly generated as a part of script.sh.

closes #7016 <https://pulp.plan.io/issues/7016>

**Revision 597a15bd - 06/22/2020 08:40 PM - ttereshc**

Stop generating bindings in the post\_before\_script.

Bindings are already correctly generated as a part of script.sh.

closes #7016 <https://pulp.plan.io/issues/7016>

## History

---

**#1 - 06/19/2020 09:07 PM - dkliban@redhat.com**

Looks like we are putting the python client inside the ruby client.

**#2 - 06/22/2020 08:38 PM - ttereshc**

- Assignee set to ttereshc
- Triaged changed from No to Yes
- Sprint set to Sprint 75

**#3 - 06/22/2020 08:57 PM - ttereshc**

- Status changed from NEW to MODIFIED

Applied in changeset [pulp:pulp-2to3-migration|597a15bd32f78bb216c449a7061572c6e007f829](https://pulp.plan.io/changesets/pulp:pulp-2to3-migration|597a15bd32f78bb216c449a7061572c6e007f829).

**#4 - 06/27/2020 11:10 AM - ttereshc**

Applied in changeset [pulp-2to3-migration|597a15bd32f78bb216c449a7061572c6e007f829](https://pulp.plan.io/changesets/pulp-2to3-migration|597a15bd32f78bb216c449a7061572c6e007f829).

**#5 - 07/05/2020 02:33 AM - ttereshc**

Applied in changeset [pulp:pulp-2to3-migrate|597a15bd32f78bb216c449a7061572c6e007f829](https://pulp.plan.io/changesets/pulp:pulp-2to3-migrate|597a15bd32f78bb216c449a7061572c6e007f829).

**#6 - 08/20/2020 06:38 PM - ttereshc**

- Sprint/Milestone set to 0.2.0

**#7 - 08/20/2020 08:06 PM - ttereshc**

- Status changed from MODIFIED to CLOSED - CURRENTRELEASE