


## RPM Support - Refactor #7289

### Publishing performs multiple complex queries per-package

08/06/2020 05:15 PM - dalley

<b>Status:</b>	CLOSED - CURRENTRELEASE	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	dalley	<b>% Done:</b>	100%
<b>Category:</b>		<b>Estimated time:</b>	0:00 hour
<b>Sprint/Milestone:</b>	3.6.0	<b>Tags:</b>	
<b>Platform Release:</b>		<b>Sprint:</b>	
<b>Groomed:</b>	No	<b>Quarter:</b>	
<b>Sprint Candidate:</b>	No		
<b>Description</b>			
publish_artifacts() and Package.to_createrepo_c() are both quite inefficient due to making a large number of database queries			
			

#### Associated revisions

##### Revision bb93a940 - 08/06/2020 05:18 PM - dalley

Use a more efficient method for picking checksum at publish time

[nocoverage]

closes: #7289 <https://pulp.plan.io/issues/7289>

#### History

##### #1 - 08/06/2020 05:15 PM - dalley

- Status changed from NEW to POST
- Assignee set to dalley

##### #2 - 08/10/2020 08:20 PM - dalley

- Status changed from POST to MODIFIED
- % Done changed from 0 to 100

Applied in changeset [bb93a940bb22607264199809d287d4e85a3081f4](#).

##### #3 - 08/17/2020 06:26 PM - ttereshc

- Sprint/Milestone set to 3.6.0

##### #4 - 08/17/2020 07:29 PM - pulpbot

- Status changed from MODIFIED to CLOSED - CURRENTRELEASE