

## Ansible Plugin - Story #7470

### As an user I want to sync collections on demand

09/08/2020 03:57 PM - fao89

<b>Status:</b> NEW	<b>Start date:</b>
<b>Priority:</b> Normal	<b>Due date:</b>
<b>Assignee:</b>	<b>% Done:</b> 0%
<b>Category:</b>	<b>Estimated time:</b> 0:00 hour
<b>Sprint/Milestone:</b>	<b>Tags:</b>
<b>Platform Release:</b>	<b>Sprint:</b>
<b>Groomed:</b> No	<b>Quarter:</b>
<b>Sprint Candidate:</b> No	
<b>Description</b> Enable on demand sync for collections	
<b>Related issues:</b> Related to Ansible Plugin - Issue #7572: Make MANIFEST.json and FILES.json av... <b>CLOSED - CURRENTRELEASE</b> Related to Ansible Plugin - Issue #7632: CollectionVersion.contents are not b... <b>CLOSED - CURRENTRELEASE</b> Related to Ansible Plugin - Refactor #7777: As a developer I want collections... <b>CLOSED - CURRENTRELEASE</b> Blocked by Pulp - Issue #7568: RepositoryVersionDistribution does not support... <b>CLOSED - CURRENTRELEASE</b>	

## History

### #1 - 09/08/2020 04:05 PM - fao89

our \_post\_save method is heavily dependent on immediate policy:

[https://github.com/pulp/pulp\\_ansible/blob/master/pulp\\_ansible/app/tasks/collections.py#L432-L456](https://github.com/pulp/pulp_ansible/blob/master/pulp_ansible/app/tasks/collections.py#L432-L456)

### #2 - 09/24/2020 03:06 PM - fao89

Do we have an endpoint that brings the MANIFEST.json data?

```
{
  "collection_info": {
    "namespace": "pulp",
    "name": "pulp_installer",
    "version": "3.6.3-1",
    "authors": [
      "Pulp Project Developers <pulp-dev@redhat.com>"
    ],
    "readme": "README.md",
    "tags": [
      "pulp",
      "pulpcore",
      "content",
      "software_repositories",
      "lifecycle_management",
      "content_delivery"
    ],
    "description": "A collection of Ansible roles to install & configure Pulp 3 from PyPI",
    "license": [
      "GPL-2.0-or-later"
    ],
    "license_file": null,
    "dependencies": {},
    "repository": "https://github.com/pulp/pulp_installer",
    "documentation": "https://pulp-installer.readthedocs.io/",
    "homepage": "https://pulpproject.org/",
    "issues": "https://pulp.plan.io/projects/pulp/issues?query_id=156"
  },
  "file_manifest_file": {
    "name": "FILES.json",
    "ftype": "file",
    "chksum_type": "sha256",
    "chksum_sha256": "54757b4a488e5be8666ded617aa213740e03e3387dd30a7a9484611fd5e2fac4",
  }
}
```

```
"format": 1
},
"format": 1
}
```

### #3 - 09/24/2020 03:14 PM - fao89

Apparently, the version endpoint brings all information we need:

URL: [https://cloud.redhat.com/api/automation-hub/v3/collections/cyberark/conjur\\_collection/versions/1.0.3/](https://cloud.redhat.com/api/automation-hub/v3/collections/cyberark/conjur_collection/versions/1.0.3/)

```
{
  "version": "1.0.3",
  "certification": "certified",
  "href": "/api/automation-hub/v3/collections/cyberark/conjur_collection/versions/1.0.3/",
  "created_at": "2020-04-22T05:51:35.004788Z",
  "updated_at": "2020-04-22T05:51:35.004819Z",
  "artifact": {
    "filename": "cyberark-conjur_collection-1.0.3.tar.gz",
    "sha256": "f1b8e8e95b8c8f31c32aeeddc772c4a3fc813545e28902a832e8e83bc38bb0a9",
    "size": 11354
  },
  "collection": {
    "id": "c54a323a-c151-4fbe-ac7e-30e518b1c0be",
    "name": "conjur_collection",
    "href": "/api/automation-hub/v3/collections/cyberark/conjur_collection/"
  },
  "download_url": "https://cloud.redhat.com/api/automation-hub/v3/artifacts/collections/automation-hub/cyberark-conjur_collection-1.0.3.tar.gz",
  "name": "conjur_collection",
  "namespace": {
    "name": "cyberark"
  },
  "metadata": {
    "authors": [
      "CyberArk Business Development (@cyberark-bizdev)",
      "Edward Nunez (@enunez-cyberark)",
      "James Stutes (@JimmyJamCABD)"
    ],
    "contents": [
      {
        "name": "conjur_variable",
        "description": "Fetch credentials from CyberArk Conjur.",
        "content_type": "lookup"
      }
    ],
    "dependencies": {},
    "description": "This is a Collection of CyberArk Conjur/DAP toolkit.",
    "documentation": "",
    "homepage": "",
    "issues": "",
    "license": [
      "Apache-2.0"
    ],
    "repository": "https://github.com/cyberark/ansible-conjur-collection",
    "tags": [
      "security",
      "cyberark",
      "access",
      "account",
      "vault",
      "identity",
      "credential",
      "secret",
      "privileged",
      "conjur",
      "devops"
    ]
  }
}
```

URL: [https://galaxy.ansible.com/api/v2/collections/pulp/pulp\\_installer/versions/3.6.3/](https://galaxy.ansible.com/api/v2/collections/pulp/pulp_installer/versions/3.6.3/)

```
{
```

```

    "id": 3871,
    "href": "https://galaxy.ansible.com/api/v2/collections/pulp/pulp_installer/versions/3.6.3/",
    "download_url": "https://galaxy.ansible.com/download/pulp-pulp_installer-3.6.3.tar.gz",
    "artifact": {
      "filename": "pulp-pulp_installer-3.6.3.tar.gz",
      "size": 90372,
      "sha256": "3b704628bd63c3b4fb1bee9ebc83647fbb06466f270ce3dfc6392b13210b4f41"
    },
    "namespace": {
      "id": 4091,
      "href": "https://galaxy.ansible.com/api/v1/namespaces/4091/",
      "name": "pulp"
    },
    "collection": {
      "id": 446,
      "href": "https://galaxy.ansible.com/api/v2/collections/pulp/pulp_installer/",
      "name": "pulp_installer"
    },
    "version": "3.6.3",
    "hidden": false,
    "metadata": {
      "name": "pulp_installer",
      "tags": [
        "pulp",
        "pulpcore",
        "content",
        "software_repositories",
        "lifecycle_management",
        "content_delivery"
      ],
      "issues": "https://pulp.plan.io/projects/pulp/issues?query_id=156",
      "readme": "README.md",
      "authors": [
        "Pulp Project Developers <pulp-dev@redhat.com>"
      ],
      "license": [
        "GPL-2.0-or-later"
      ],
      "version": "3.6.3",
      "homepage": "https://pulpproject.org/",
      "namespace": "pulp",
      "repository": "https://github.com/pulp/pulp_installer",
      "description": "A collection of Ansible roles to install & configure Pulp 3 from PyPI",
      "dependencies": {},
      "license_file": null,
      "documentation": "https://pulp-installer.readthedocs.io/"
    }
  }
}

```

Instead of downloading and opening the collection file, we can pass these data through stages API

#### #4 - 09/24/2020 03:59 PM - fao89

- Status changed from *NEW* to *ASSIGNED*
- Assignee set to fao89
- Sprint set to Sprint 82

#### #5 - 09/24/2020 05:20 PM - bmbouter

I don't believe the server side APIs on galaxy.ansible.com and cloud.redhat.com do not provide all attributes that we would need. I believe that blocks this story from continuing.

#### #6 - 09/24/2020 09:10 PM - pulpbot

- Status changed from *ASSIGNED* to *POST*

PR: [https://github.com/pulp/pulp\\_ansible/pull/373](https://github.com/pulp/pulp_ansible/pull/373)

#### #7 - 09/25/2020 08:22 PM - fao89

- Related to Issue #7572: Make *MANIFEST.json* and *FILES.json* available in the *CollectionVersion* serializer in the *V3 API* added

#### #8 - 10/01/2020 04:14 PM - fao89

- Related to Issue #7632: *CollectionVersion.contents* are not being synced added

**#9 - 10/02/2020 06:05 PM - rchan**

- Sprint changed from Sprint 82 to Sprint 83

**#10 - 10/05/2020 08:08 PM - fao89**

- Blocked by Issue #7568: *RepositoryVersionDistribution* does not support *on\_demand* added

**#11 - 10/15/2020 11:48 PM - rchan**

- Sprint changed from Sprint 83 to Sprint 84

**#12 - 10/30/2020 04:56 PM - rchan**

- Sprint changed from Sprint 84 to Sprint 85

**#13 - 11/03/2020 02:47 PM - fao89**

- Status changed from *POST* to *NEW*

- Assignee deleted (*fao89*)

- Sprint deleted (*Sprint 85*)

**#14 - 11/04/2020 04:24 PM - fao89**

- Parent task set to #7777

**#15 - 11/04/2020 05:14 PM - fao89**

- Parent task deleted (#7777)

**#16 - 11/04/2020 05:14 PM - fao89**

- Related to Refactor #7777: *As a developer I want collections sync machinery easier to maintain* added