

Pulp - Issue #7720

PulpWorker doesn't set a default DJANGO_SETTINGS_MODULE

10/18/2020 10:01 PM - ekohl

Status:	CLOSED - CURRENTRELEASE	Start date:	
Priority:	Normal	Due date:	
Assignee:		Estimated time:	0:00 hour
Category:			
Sprint/Milestone:	3.8.0		
Severity:	2. Medium	Groomed:	No
Version:		Sprint Candidate:	No
Platform Release:		Tags:	
OS:		Sprint:	
Triaged:	No	Quarter:	
Description			
Similar to #7179 , it would be useful if the PulpWorker entry point would have a default.			

Associated revisions

Revision bfd0aa50 - 10/20/2020 03:59 PM - Ewoud Kohl van Wijngaarden

Always set a default for DJANGO_SETTINGS_MODULE

6a2e7f304c31adcbf12d964753f639c5e3ea4cce already set this in one place for the handler, but this does it everywhere before calling django.setup. This means the services files don't need to.

fixes #7720

History

#1 - 10/18/2020 10:23 PM - pulpbot

- Status changed from NEW to POST

PR: <https://github.com/pulp/pulpcore/pull/970>

#2 - 10/20/2020 04:00 PM - Anonymous

- Status changed from POST to MODIFIED

Applied in changeset [pulpcore|bfd0aa5058c18ad1eb6ba1a32e502d0a00309be7.](#)

#3 - 10/20/2020 05:50 PM - ttereshc

- Sprint/Milestone set to 3.8.0

#4 - 10/20/2020 09:38 PM - pulpbot

- Status changed from MODIFIED to CLOSED - CURRENTRELEASE